

- Booker, C. L., Harding, S., & Benzeval, M. (2011). A systematic review of the effect of retention methods in population-based cohort studies. *BMC Public Health*, 11(1), 1.
- Brannon, E. E., Kuhl, E. S., Boles, R. E., Aylward, B. S., Benoit Ratcliff, M., Valenzuela, J. M., ... & Powers, S. W. (2013). Strategies for recruitment and retention of families from low-income, ethnic minority backgrounds in a longitudinal study of caregiver feeding and child weight. *Children's Health Care*, 42(3), 198-213.
- Brueton, V. C., Stevenson, F., Vale, C. L., Stenning, S. P., Tierney, J. F., Harding, S., ... & Rait, G. (2014). Use of strategies to improve retention in primary care randomised trials: A qualitative study with in-depth interviews. *BMJ Open*, 4(1), e003835.
- Brueton, V. C., Tierney, J., Stenning, S., Harding, S., Meredith, S., Nazareth, I., & Rait, G. (2013). Strategies to improve retention in randomised trials. The *Cochrane Database of Systematic Reviews*, 12.
- Buscemi, J., Blumstein, L., Kong, A., Stolley, M. R., Schiffer, L., Odoms-Young, A., ... & Fitzgibbon, M. L. (2015). Retaining traditionally hard to reach participants: Lessons learned from three childhood obesity studies. *Contemporary Clinical Trials*, 42, 98-104.
- Campbell, K. J., Hesketh, K. D., McNaughton, S. A., Ball, K., McCallum, Z., Lynch, J., & Crawford, D. A. (2016). The extended Infant Feeding, Activity and Nutrition Trial (InFANT Extend) Program: A cluster-randomized controlled trial of an early intervention to prevent childhood obesity. *BMC Public Health*, 16(1), 1.
- Chang, M. W., Brown, R., & Nitzke, S. (2009). Participant recruitment and retention in a pilot program to prevent weight gain in low-income overweight and obese mothers. *BMC Public Health*, 9(1), 1.
- Clarke, S. A., Calam, R., Morawska, A., & Sanders, M. (2014). Developing web-based Triple P 'Positive Parenting Programme' for families of children with asthma. *Child: Care, Health and Development*, 40(4), 492-497.
- Coleman-Phox, K. (2013). Recruitment and retention of pregnant women for a behavioral intervention: Lessons from the maternal adiposity, metabolism, and stress (MAMAS) study. *Preventing Chronic Disease*, 10.
- Daniels, L. A., Wilson, J. L., Mallan, K. M., Mihrshahi, S., Perry, R., Nicholson, J. M., & Magarey, A. (2012). Recruiting and engaging new mothers in nutrition research studies: Lessons from the Australian NOURISH randomised controlled trial. *International Journal of Behavioral Nutrition and Physical Activity*, 9(1), 129.
- David, M. C., & Ware, R. S. (2014). Meta-analysis of randomized controlled trials supports the use of incentives for inducing response to electronic health surveys. *Journal of Clinical Epidemiology*, 67(11), 1210-1221.

- Davis, L. L., Broome, M. E., & Cox, R. P. (2002). Maximizing Retention in Community-based Clinical Trials. *Journal of Nursing Scholarship*, 34(1), 47-53.
- Edwards, P. J., Roberts, I., Clarke, M. J., DiGuiseppi, C., Wentz, R., Kwan, I., ... & Pratap, S. (2009). Methods to increase response to postal and electronic questionnaires (Review). *Cochrane Database of Systematic Reviews*, 3, 1-12.
- Edwards, L., Salisbury, C., Horspool, K., Foster, A., Garner, K., & Montgomery, A. A. (2016). Increasing follow-up questionnaire response rates in a randomized controlled trial of telehealth for depression: Three embedded controlled studies. *Trials*, 17(1), 1.
- Johnson, N. A., Kypri, K., Latter, J., McElduff, P., Attia, J., Saitz, R., ... & McCambridge, J. (2015). Effect of telephone follow-up on retention and balance in an alcohol intervention trial. *Preventive Medicine Reports*, 2, 746-749.
- Khadjesari, Z., Murray, E., Kalaitzaki, E., White, I. R., McCambridge, J., Thompson, S. G., ... & Godfrey, C. (2011). Impact and costs of incentives to reduce attrition in online trials: Two randomized controlled trials. *Journal of Medical Internet Research*, 13(1), e26.
- Love, S. M., Sanders, M. R., Turner, K. M., Maurange, M., Knott, T., Prinz, R., ... & Ainsworth, A. T. (2016). Social media and gamification: Engaging vulnerable parents in an online evidence-based parenting program. *Child Abuse & Neglect*, 53, 95-107.
- McEachan, R. R., Santorelli, G., Bryant, M., Sahota, P., Farrar, D., Small, N., ... & Richardson, G. (2016). The HAPPY (Healthy and Active Parenting Programme for early Years) feasibility randomised control trial: Acceptability and feasibility of an intervention to reduce infant obesity. *BMC Public Health*, 16(1), 1.
- Mitchell, S. G., Schwartz, R. P., Alvanzo, A. A., Weisman, M. S., Kyle, T. L., Turrigiano, E. M., ... & Froias, A. (2015). The use of technology in participant tracking and study retention: Lessons learned from a clinical trials network study. *Substance Abuse*, 36(4), 420-426.
- Monteiro, S. M., Jancey, J., Howat, P., Burns, S., Jones, C., Dhaliwal, S. S., ... & Anderson, A. S. (2011). The protocol of a randomized controlled trial for playgroup mothers: Reminder on Food, Relaxation, Exercise, and Support for Health (REFRESH) Program. *BMC Public Health*, 11(1), 648.
- Nicholson, L. M., Schwirian, P. M., Klein, E. G., Skybo, T., Murray-Johnson, L., Eneli, I., ... & Groner, J. A. (2011). Recruitment and retention strategies in longitudinal clinical studies with low-income populations. *Contemporary Clinical Trials*, 32(3), 353-362.
- Nicholson, L. M., Schwirian, P. M., & Groner, J. A. (2015). Recruitment and retention strategies in clinical studies with low-income and minority populations: Progress from 2004-2014. *Contemporary Clinical Trials*, 45, 34-40.
- Robinson, K. A., Dinglas, V. D., Sukrithan, V., Yalamanchilli, R., Mendez-Tellez, P. A., Dennison-Himmelfarb, C., & Needham, D. M. (2015). Updated systematic review identifies substantial number of retention strategies: Using more strategies retains more study participants. *Journal of Clinical Epidemiology*, 68(12), 1481-1487.



Starr, K., McPherson, G., Forrest, M., & Cotton, S. C. (2015). SMS text pre-notification and delivery of reminder e-mails to increase response rates to postal questionnaires in the SUSPEND trial: A factorial design, randomised controlled trial. *Trials*, 16(1), 295.

Torres, L. N., Turok, D. K., Sanders, J. N., Jacobson, J. C., Dermish, A. I., & Ward, K. (2014). We should really keep in touch: Predictors of the ability to maintain contact with contraception clinical trial participants over 12 months. *Contraception*, 90(6), 575-580.

Yuan, P., Bare, M. G., Johnson, M. O., & Saberi, P. (2014). Using online social media for recruitment of human immunodeficiency virus-positive participants: A cross-sectional survey. *Journal of Medical Internet Research*, 16(5), e117.

Zook, P. M., Jordan, C., Adams, B., Visness, C. M., Walter, M., Pollenz, K., ... Gern, J. E. (2010). Retention strategies and predictors of attrition in an urban pediatric asthma study. *Clinical Trials* (London, England), 7(4), 400-410. <http://doi.org/10.1177/1740774510373798>

*The Clearinghouse has Technical Assistance (TA) Specialists who are available to help by offering support and guidance through the program selection, implementation, and evaluation process. These TA Specialists are available from 9 a.m. to 5 p.m. EST/EDT Monday through Friday. Use the information below to contact the Clearinghouse!*

*This material is the result of a partnership funded by the Department of Defense between the Office of Military Community and Family Policy and the USDA's National Institute of Food and Agriculture through a grant/cooperative agreement with Penn State University.*



1-800-382-9185



clearinghouse@psu.edu



www.militaryfamilies.psu.edu